



Test Report issued under the responsibility of:

TEST REPORT
IEC 6xxxx
Title of the IEC Standard

Report Number:
Date of issue:
Total number of pages

CB Testing Laboratory.....:
Address

Applicant's name.....:
Address

Test specification:
Standard: IEC 6xxxx - x (xxx Edition): YEAR
Test procedure: CB Scheme
Non-standard test method.....: N/A

Test Report Form No.....: IEC6xxxx_xY
Test Report Form(s) Originator: Name of Originator
Master TRF: Dated ...

Copyright © 2010 Worldwide System for Conformity Testing and Certification of Electrotechnical Equipment and Components (IECEE), Geneva, Switzerland. All rights reserved.

This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

If this Test Report Form is used by non-IECEE members, the IECEE/IEC logo and the reference to the CB Scheme procedure shall be removed.

This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.

Test item description:
Trade Mark:
Manufacturer:
Model/Type reference:
Ratings

Testing procedure and testing location:	
<input type="checkbox"/> CB Testing Laboratory:	
Testing location/ address	
<input type="checkbox"/> Associated CB Laboratory:	
Testing location/ address	
Tested by (name + signature).....	
Approved by (name + signature).....	
<input type="checkbox"/> Testing procedure: TMP	
Testing location/ address	
Tested by (name + signature).....	
Approved by (name + signature).....	
<input type="checkbox"/> Testing procedure: WMT	
Testing location/ address	
Tested by (name + signature).....	
Witnessed by (name + signature)	
Approved by (name + signature).....	
<input type="checkbox"/> Testing procedure: SMT	
Testing location/ address	
Tested by (name + signature).....	
Approved by (name + signature).....	
Supervised by (name + signature)...	
<input type="checkbox"/> Testing procedure: RMT	
Testing location/ address	
Tested by (name + signature).....	
Approved by (name + signature).....	
Supervised by (name + signature)...	

List of Attachments (including a total number of pages in each attachment):

Summary of testing:

Tests performed (name of test and test clause):

Testing location:

Summary of compliance with National Differences

List of countries addressed:

The product fulfils the requirements of _____ (insert standard number and edition and delete the text in parenthesis or delete the whole sentence if not applicable)

Copy of marking plate

The artwork below may be only a draft. The use of certification marks on a product must be authorized by the respective NCBS that own these marks.

Test item particulars:
Classification of installation and use
Supply Connection.....:
.....:
Possible test case verdicts:
- test case does not apply to the test object..... : N/A
- test object does meet the requirement..... : P (Pass)
- test object does not meet the requirement : F (Fail)
Testing:
Date of receipt of test item.....:
Date (s) of performance of tests.....:
General remarks:
The test results presented in this report relate only to the object tested. This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory. "(see Enclosure #)" refers to additional information appended to the report. "(see appended table)" refers to a table appended to the report. Throughout this report a <input type="checkbox"/> comma / <input type="checkbox"/> point is used as the decimal separator.
Manufacturer's Declaration per sub-clause 6.2.5 of IEC60068-2-1:
The application for obtaining a CB Test Certificate includes more than one factory location and a declaration from the Manufacturer stating that the sample(s) submitted for evaluation is (are) representative of the products from each factory has been provided:
<input type="checkbox"/> Yes
<input type="checkbox"/> Not applicable
When differences exist; they shall be identified in the General product information section.
Name and address of factory (ies) :
General product information:

IEC 6xxxx			
Clause	Requirement + Test	Result - Remark	Verdict

 :		
 :		
 :		
 :		
 :		
 :		

IEC 6xxxx			
Clause	Requirement + Test	Result - Remark	Verdict

TABLE: Heating Test			
Test voltage (V)			—
Ambient (°C)			—
Thermocouple Locations	max. temperature measured, (°C)	max. temperature limit, (°C)	
Supplementary information:			

TABLE: Heating test, resistance method						
Test voltage (V)					—	
Ambient, t ₁ (°C)					—	
Ambient, t ₂ (°C)					—	
Temperature rise of winding	R ₁ (Ω)	R ₂ (Ω)	ΔT (K)	Max. dT (K)	Insulation class	
Supplementary information:						

TABLE: Dielectric Strength		
Test voltage applied between:	Test potential applied (V)	Breakdown / flashover (Yes/No)
Supplementary information:		

IEC 6xxxx			
Clause	Requirement + Test	Result - Remark	Verdict

TABLE: Electrical Data (in normal conditions)						
fuse #	I rated (A)	U (V)	P (W)	I (mA)	I fuse (mA)	condition/status
Supplementary information:						

TABLE: Power Input Deviation						
Input deviation of/at:	P rated (W)	P measured (W)	ΔP	Required ΔP	Remark	
Supplementary information:						

TABLE: insulation resistance measurements		
Insulation resistance R between:	R (M Ω)	Required R (M Ω)
Between mains poles (primary fuse disconnected)		
Between parts separated by basic or supplementary insulation		
Between parts separated by double or reinforced insulation		
Supplementary information:		

TABLE: Impact Resistance			
Impacts per surface	Surface tested	Impact energy (Nm)	Comments
Supplementary information:			

IEC 6xxxx			
Clause	Requirement + Test	Result - Remark	Verdict

TABLE: Clearance And Creepage Distance Measurements						
clearance cl and creepage distance dcr at/of:	Up (V)	U r.m.s. (V)	Required cl (mm)	cl (mm)	required dcr (mm)	dcr (mm)
Supplementary information:						

TABLE: Distance Through Insulation Measurements				
Distance through insulation di at/of:	U r.m.s. (V)	Test voltage (V)	Required di (mm)	di (mm)
Supplementary information:				

TABLE: Ball Pressure Test of Thermoplastics		
Allowed impression diameter (mm)	—	
Part	Test temperature (°C)	Impression diameter (mm)
Supplementary information:		

TABLE: Threaded Part Torque Test			
Threaded part identification	Diameter of thread (mm)	Column number (I, II, or III)	Applied torque (Nm)
Supplementary information:			

IEC 6xxxx			
Clause	Requirement + Test	Result - Remark	Verdict

TABLE: Over-voltage and Under-voltage Test					
Test	Operating condition	Rated voltage (V)	Test voltage (V)	Temperature (°C)	Comments
supplementary information:					

TABLE: Critical components information					
Object / part No.	Manufacturer/ trademark	Type / model	Technical data	Standard	Mark(s) of conformity ¹⁾
- Description:					
- Description:					
- Description:					
Supplementary information:					
¹⁾ Provided evidence ensures the agreed level of compliance. See OD-CB2039.					

IEC 6xxxx			
Clause	Requirement + Test	Result - Remark	Verdict

Additional examples of tables for TRF originators to be used as needed.

TABLE:					
Supplementary information:					

TABLE:						
						Comments
Supplementary information:						

TABLE:			
:		—
:		—
:		—
:		—
Supplementary information:			